



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 5, 2018

Kim Davis
Agent for Wolfkill Feed & Fertilizer Corp.
c/o RegWest Company, LLC
8203 West 20th St., Suite A
Greeley, CO 80634-4696

Subject: Label Amendment – add graphics and claims, reformat and incorporate label
Product Name: ALL PRO PRODUCTS Lawn Food with Moss Control
EPA Registration Number: 9240-8
Application Date: October 17, 2017
Decision Number: 536700

Dear Ms. Davis:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

Page 2 of 2
EPA Reg. No. 9240-8
Decision No. 536700

If you have any questions, please contact Mindy Ondish by phone at 703-605-0723, or via email at ondish.mindy@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Grant Rowland". The signature is fluid and cursive, with the first name "Grant" written in a larger, more prominent script than the last name "Rowland".

Grant Rowland
Acting Product Manager 23
Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

ALL PRO PRODUCTS LAWN FOOD WITH MOSS CONTROL

{ABNs: ALLPRO PRODUCTS Lawn Food with Moss Control 12-0-4; and
 Jonathan Green Lawn Moss Control Granules}


{Select Marketing Claims and Graphics from the "Marketing Claims" and "Graphics" sections below}

Active Ingredient:

Ferrous Sulfate Monohydrate 25.8%

Other Ingredients 74.2%

Total 100.0%



Keep Out of Reach of Children

CAUTION

See Back Panel for First Aid and Additional Precautionary Statements

Net Wt. 20 Lbs. (9.07 kg)
 Covers Up to 5,000 Sq. Ft.

[Net Wt. 40 Lbs. (18.14 kg)]
 [Covers Up to 10,000 Sq. Ft.]

{Back Panel}

**ALL PRO PRODUCTS
 Lawn Food with Moss Control**

First Aid	
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or physician for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
Hot Line Number	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For non-emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 (NPIC website: www.npic.orst.edu). For emergencies, call the poison control center at 1-800-222-1222.	

{Note: The First Aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.}

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye injury. Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of dust and contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Environmental Hazards

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk or street, back onto the treated area of the lawn or garden, will help to prevent runoff to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GUARANTEED ANALYSIS	
Total Nitrogen (N)	X%
12% ammoniacal nitrogen	
Soluble Potash (K ₂ O)	X%
Sulfur (S)	X%
Iron (Fe)	X%
Derived from Ammonium Sulfate, Muriate of Potash and Ferrous Sulfate Monohydrate	
<i>{Guaranteed Analysis will vary according to fertilizer ingredients}</i>	

Information regarding the contents and levels of metals in this product is available on the internet at:
<http://www.aapfcop.org/metals.html>


[Name of] Spreader	[Suggested] Spreader Settings*	
	Pounds of Product to Apply/1,000 sq. ft.	
	Normal Feeding	[Heavy Moss Infestations]
Best Lawn Spreader #50	7	14
Best Broadcaster Spreader #60	5	10
Scotts (All Models)	5 1/2	11
Wards #1083	5 1/2	11
Sears #1916	6	12
Ortho #3000	5 1/2	11
Ortho Whirlybird	4	8

{Spreaders and settings will vary according to marketing considerations and types of spreaders (rotary, drop) recommended.}

*Settings for spreaders in new condition.

Note: Spreaders will vary and must be checked for accuracy. Broadcast spreaders, such as the Whirlybird, are dependent upon the rate of walking and turning speed of the broadcast unit. Carefully calculate the area to be fertilized and make certain the proper amount is applied to the area. **[Note:** The spreader settings listed above are approximate. Spreader condition, rate of walk and humidity can all vary the application rate. Broadcast (rotary) spreaders such as the Whirlybird are dependent upon the rate of walking and turning speed of the broadcast unit. Carefully calculate the area to be fertilized and make certain the proper number of pounds is applied to the area. Spreaders will vary and must be checked for accuracy.]

{Optional directions}



_____ Length (feet)
x _____ Width (feet)
= _____ Total square feet
- _____ Non-lawn areas
= _____ Total square feet
coverage you need

To determine how much you need, multiply the length of your lawn by its width. This equals your total square footage. Deduct any non-lawn areas (house, gardens, walkways, etc.).

One {20 lb} bag treats up to 5,000 sq. ft.

[One {40 lb} bag treats up to 10,000 sq. ft.]

Rotary Spreader Path: For best results, apply in a circular path starting on the outside and working toward the center. A little overlap of product will ensure complete coverage.

Drop Spreader Path: First, apply two border strips along the edge of each end of the lawn, overlapping slightly and shutting off the spreader before turning as you reach the edge of the border strips.

{End of Optional directions}

Not for use on plants being grown for sale or other commercial use, for commercial seed production or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on golf courses or lawns.

Use Precautions: Product contains ferrous sulfate which will stain paint, concrete sidewalks and cart paths. Remove spillage immediately by sweeping or washing off sidewalks, driveways or other concrete or painted surfaces. Clean hard surfaces after application.

Use anytime moss is a problem. Repeat if needed. Prior to application, lightly rake lawn to remove leaves and dead grass; and mow lawn to expose moss and to allow fertilizer to readily enter soil. Apply with spreader at label rates.

Water lawn immediately after application.

Normal Feeding [Normal Moss Infestations]

For normal control of moss, apply at the rate of 4 pounds per 1,000 square feet. A 20-pound bag covers 5,000 square feet, properly applied. [A 40-pound bag covers 10,000 square feet, properly applied.] This application will provide turf with 1/2 pound of nitrogen and 1/3 pound of iron per 1,000 square feet, plus phosphorus and potash essential to this early spring treatment.

Heavy Moss Infestations

For heavy infestations of moss, apply at the rate of 8 pounds per 1,000 square feet. A 20-pound bag covers 2,500 square feet, properly applied. [A 40-pound bag covers 5,000 square feet, properly applied.] This application will provide turf with 1 pound of nitrogen, 2/3 pound of iron per 1,000 square feet, plus phosphorus and potash.

{Storage and Disposal directions for residential use product:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product only in its original container in a dry, cool, secured storage area. **Container**

Disposal: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spill: In case of spill, sweep up product and dispose of material according to "Disposal" directions listed above.

{Storage and Disposal directions for non-residential use product:}

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store this product only in its original container in a dry, cool, secured storage area. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke. **Spill:** In case of spill, sweep up product and dispose of material according to "Disposal" directions listed above.

Notice: Before using this product, carefully read the entire label. If the **Conditions of Sale and Warranty** are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

Conditions of Sale and Warranty: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. No one is authorized to make any other warranty, guarantee or direction concerning this product. Because the time, place, rate of application and other conditions of use are beyond the Seller's control, and, to the extent consistent with applicable law, Seller's liability from the handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Manufactured By
Wolfkill Feed & Fertilizer Corp.
P.O. Box 578 Monroe, WA 98272

EPA Reg. No. 9240-8
EPA Est. 9240-WA-1

{Marketing Claims}

Treats [a minimum of] 5,000 sq. ft. {20 lbs bag}
Treats [a minimum of] 10,000 sq. ft. {40 lbs bag}
With X% iron
Turns lawns a deep green
Gentle Greening for 8 Weeks
Non-Burning
Controls Moss, See Results in Hours
Use Anytime Moss is a Problem
Easy to Spread Granules

ALL PRO PRODUCTS Lawn Food with Moss Control [This product] contains a well-known moss control ingredient (iron sulfate) plus an all-natural lawn food blend. This fertilizer won't just feed the grass for today; it continues to feed your grass for up to 8 weeks.

Forget frequent feedings and surge fade greening. ALL PRO PRODUCTS Lawn food with Moss Control [This product] feeds your soil with the finest slow-release, natural, plant food ingredients.

Using ALL PRO PRODUCTS Lawn Food with Moss Control [this product] season after season helps build strong roots that go deep. These deep roots encourage a thick, deep green turf in spring, helps them to find water in the hottest of summer weather, and results in turf that withstands winter weather.


Benefits:

- Provides thorough coverage because of micro-sized fertilizer particles.


- Low dust formulation because it's just a two-particle fertilizer.
- Contains 100% available nitrogen (no slow release).

{End of Marketing Claims}

{Graphics}



Rotary
Spreader
Path



Drop Spreader
Path

{End of Graphics}

[] Denotes alternate/optional language

{ } Denotes language intended to clarify or describe label elements and will not appear on the market labeling